





SMALL EXCAVATORS

YANMAR 0.8T MINI-EXCAVATOR

- Ultra-small 725mm rear turning radius.
- C&S Diesel Engine which is ultra quiet.
- Hydraulic hoses are hosued under the cylinders for protection.
- Small rear over-hang of 305mm.
- Roll cage.
- Pellentesque fermentum ante eget tincidunt porttitor.

Note: Skilled Operator Required Float charges may apply

	WET HIRE		F	LOAT (EAC	H WAY)
\$18	0 P/HR -	+GST		\$250 +	GST
SKU	MODEL	WIDTH	LENGTH	HEIGHT	MAX DEPTH
PL001	0.8T	680mm	2.6m	2.2m	1.6m



KUBOTA 1.7T MINI-EXCAVATOR

- ROPS and FOPS certified.
- Integrated travel motor hoses within the track frame.
- Tracks can be expanded up to 1,240mm.
- Powerful and well balanced.
- Powered by a 17HP Kubota engine

Note: Skilled Operator Required Float charges may apply

	WET HIRE		·	LOAT (EAC	H WAY)
\$18	0 P/HR -	+GST		\$250 +	GST
SKU	MODEL	WIDTH	LENGTH	HEIGHT	MAX DEPTH
PL002	1.7T	950mm	3.05m	2.3m	2.31m



SMALL EXCAVATOR FLEET

Note: Operator Required | Delivery & Consumable charges may apply

EQUIPMENT	SKU	WEIGHT	WET HIRE	FLOAT
YANMAR 1T	PL001	1,035kg	\$180 P/HR	\$450 (each way)
YANMAR 1.7T	PL002	1,790kg	\$180 P/HR	\$450 (each way)
KUBOTA 1.7T	PL003	1,675kg	\$180 P/HR	\$450 (each way)
KUBOTA 2.5T	PL004	2,545kg	\$180 P/HR	\$450 (each way)
KUBOTA 2.5T	PL005	2,545kg	\$180 P/HR	\$450 (each way)
YANMAR 3.5T	PL006	3,535kg	\$180 P/HR	\$450 (each way)
YANMAR 5T	PL007	4,605kg	\$180 P/HR	\$650 (each way)
YANMAR 5T	PL008	4,605kg	\$180 P/HR	\$650 (each way)
KUBOTA 5.5T	PL009	5,470kg	\$180 P/HR	\$650 (each way)
KUBOTA 5.5T	PL010	5,470kg	\$180 P/HR	\$650 (each way)



LARGE EXCAVATORS

VOLVO 30T EXCAVATOR

- Large and comfortable cab puts you in command with ergonomic controls.
- Electronic climate control system delivers the highest-capacity heating and cooling available.
- Strengthened undercarriage frame endures daily use.
- Greased and sealed track link guarantees long life.

Note: Skilled Operator Required Float charges may apply

	WET HIRE		F	LOAT (EAC	H WAY)
\$26	0 P/HR -	+GST		\$1,500	+GST
SKU	MODEL	WIDTH	LENGTH	HEIGHT	MAX DEPTH
PL008	ECR30	3.34m	9.95m	3.18m	6.46m



VOLVO 36T EXCAVATOR

- The EC350E Hybrid reduces emissions by up to 15%.
- Electronic climate control system delivers the highest-capacity heating and cooling available.
- Strengthened undercarriage frame endures daily use.
- Greased and sealed track link guarantees long life.

Note: Skilled Operator Required Float charges may apply

	WET HIRE			FLOAT (EAC	CH WAY)
\$32	0 P/HR	+GST		\$2,500	+GST
SKU	MODEL	WIDTH	LENGTH	HEIGHT	MAX DEPTH
PL 008	FC350F	3 190m	11 29m	3.65m	6.69m



LARGE EXCAVATOR FLEET

Note: Skilled Operator Required | Delivery & Consumable charges may apply

EQUIPMENT	SKU	MAX DEPTH	WET HIRE	FLOAT
CASE 8T	PL011	4.13m	\$180 P/HR	\$650 (each way)
VOLVO 14T	PL012	5.14m	\$220P/HR	\$650 (each way)
VOLVO 24T	PL013	6.35m	\$240 P/HR	\$1,500 (each way)
VOLVO 24T	PL014	6.35m	\$240 P/HR	\$1,500 (each way)
SUMITOMO 24T	PL015	6.35m	\$240 P/HR	\$1,500 (each way)
VOLVO 30T	PL016	6.46m	\$260 P/HR	\$1,500 (each way)
VOLVO 34T	PL017	6.8m	\$280 P/HR	\$1,500 (each way)
VOLVO 36T	PL018	7.4m	\$320 P/HR	\$2,500 (each way)
VOLVO 36T	PL019	7.4m	\$320 P/HR	\$2,500 (each way)
VOLVO 36T	PL020	7.4m	\$320 P/HR	\$2,500 (each way)



SKID STEER LOADERS

BOBCAT S590

- Large and comfortable cab puts you in command with ergonomic controls.
- Electronic climate control system delivers the highest-capacity heating and cooling available.
- Strengthened undercarriage frame endures daily
- Greased and sealed track link guarantees long

Note: Skilled Operator Required Float charges may apply

WET HIRE	FLOAT (EACH WAY)
\$180 P/HR +GST	\$650 +GST

SKU	MODEL	WIDTH	LENGTH	HEIGHT	MAX LOAD
PL005	PL024	1.65m	3.37m	1.97m	1.9T



KUBOTA SVL-95 POSI-TRACK

- Large and comfortable cab puts you in command with ergonomic controls.
- Electronic climate control system delivers the highest-capacity heating and cooling available.
- Strengthened undercarriage frame endures daily
- Greased and sealed track link guarantees long

Note: Skilled Operator Required Float charges may apply

WET HIRE	FLOAT (EACH WAY)
\$180 P/HR +GST	\$650 +GST

SKU	MODEL	WIDTH	LENGTH	HEIGHT	MAX LOAD
PL006	PL025	1.67m	3.57m	2.08m	2.16T



SKID STEER FLEET / OTHER EQUIPMENT

Note: Skilled Operator Required | Delivery & Consumable charges may apply

EQUIPMENT	sku	WEIGHT	WET HIRE	FLOAT
BOBCAT S70	PL021	1,268kg	\$180 P/HR	\$650 (each way)
BOBCAT \$70	PL022	1,268kg	\$180 P/HR	\$650 (each way)
BOBCAT \$70	PL023	1,268kg	\$180 P/HR	\$650 (each way)
BOBCAT S590	PL024	3,069kg	\$180 P/HR	\$650 (each way)
KUBOTA POSI-TRACK	PL025	4,100kg	\$180 P/HR	\$650 (each way)



DUMPERS

THWAILES 9T DUMPER

- Large and comfortable cab puts you in command with ergonomic controls.
- Electronic climate control system delivers the highest-capacity heating and cooling available.
- Strengthened undercarriage frame endures daily
- · Greased and sealed track link guarantees long

Note: Skilled Operator Required Float charges may apply

#400 B/UB + CCT #CF0 + C	
\$180 P/HR +GST \$650 +6	ST
SKU MODEL WIDTH LENGTH HEIGHT	

4.48m

3.62m

4.6T



TWINCA DUMPER

TD001

PL029

- Large and comfortable cab puts you in command with ergonomic controls.
- Electronic climate control system delivers the highest-capacity heating and cooling available.

2.49m

- Strengthened undercarriage frame endures daily use.
- · Greased and sealed track link guarantees long

Note: Skilled Operator Required Float charges may apply

WET HIRE	FLOAT (EACH WAY)
\$180P/HR +GST	\$650 +GST

SKU	MODEL	WIDTH	LENGTH	HEIGHT	MAX LOAD
PL008	PL0026	865m	2.63m	1.05m	800kg



DUMPER / ROLLER FLEET

Note: Skilled Operator Required | Delivery & Consumable charges may apply

' '	,	0	, , , ,	
EQUIPMENT	SKU	WEIGHT	WET HIRE	FLOAT
TWINCA ELECTRIC DUMPER	PL026	488kg	\$180 P/HR +GST	\$350 (each way)
TWINCA ELECTRIC DUMPER	PL027	488kg	\$180 P/HR +GST	\$350 (each way)
CORMIDI DUMPER	PL028	566kg	\$180 P/HR +GST	\$350 (each way)
THWAILES BELLY DUMPER	PL029	9,000kg	\$180 P/HR +GST	\$650 (each way)
DYNAPAC 4T ROLLER	PL030	4,000kg	\$110 P/HR +GST	\$650 (each way)
11T SMOOTH DRUM ROLLER	PL031	11,000kg	\$220 P/HR +GST	\$650 (each way)

**** 1300 737 332



BROKK 110

BROKK 110 DEMOLITION ROBOT

- Machine Weight: 990 kg
- Power:19.5kW
- System pressure: 18 MPa
- Hydraulic system capacity: 40l
- Control type: SmartRemote
- Recommended fuse size: 32A
- Simple and easy to use.

Note: Brokk Operator Required Float charges may apply

BROKK 110 ATTACHMENTS

SKU	WEIGHT	PRICE PER DAY
BA001	100kg	\$200
BA002	160kg	\$400
BA003	60kg	\$200
BA004	165kg	\$400







BROKK 200

BROKK 200 DEMOLITION ROBOT

- Machine Weight: 2,100 kg
- Power:27.5kW
- System pressure: 18 MPa
- Hydraulic system capacity: 80l
- Control type: SmartRemote
- Recommended fuse size: 63A

Note: Brokk Operator Required Float charges may apply

BROKK 200 ATTACHMENTS

SKU	WEIGHT	PRICE PER DAY	
BA005	100kg	\$300	
BA006	160kg	g \$450	
BA007	60kg	\$300	
BA008	165kg	\$450	

BA007 - BUCKET



\(\((02) 8021 1784 \)

SMALL TRUCKS

ISUZU TIPPER NLR 275

- Independent front coil suspension.
- Auto release body lock.
- Used for light deliveries to site.
- 5m3 / 2t Max load Capacity.

Note: LR Truck Driver

WET HIRE	
\$125 P/HR + TOLLS + 1 HR DAILY TRAVEL	


SKU	WIDTH	HEIGHT	CAPACITY
T001	1.39m	2.15m	5m3 / 2T



ISUZU MR 5T TRUCK

- 5T load capacity.
- Perfect for removing soil, sand and demolition waste.
- Tipper function means it can be unloaded in just a few seconds.
- Capable of handling heavy loads.
- The Isuzu 65-190 is a very versatile truck.

Note: MR Truck Driver Required



SKU	WIDTH	HEIGHT	CAPACITY
T002	2.4m	2.3m	5T



TRUCK FLEET

Note: Truck Driver Required | Delivery & Consumable charges may apply

, , ,			1 /
EQUIPMENT	sku	GVM	WET HIRE
CRANE TRUCK	PL032	12T	\$145 P/HR + TOLLS + 1 HR TRAVEL
BOGIE	PL033	24T	\$145P/HR + TOLLS + 1 HR TRAVEL
ISUZU 8x4 WHEELER	PL034	30T	\$160 P/HR + TOLLS + 1 HR TRAVEL
ISUZU 8x4 WHEELER	PL035	30T	\$160 P/HR + TOLLS + 1 HR TRAVEL
ISUZU 10x4 WHEELER	PL036	32T	\$160 P/HR + TOLLS + 1 HR TRAVEL
ISUZU 10x4 WHEELER	PL037	32T	\$160 P/HR + TOLLS + 1 HR TRAVEL
ISUZU 10x4 WHEELER	PL038	32T	\$160 P/HR + TOLLS + 1 HR TRAVEL



LARGE TRUCKS

ISUZU FYX 350 10 x 4 TRUCK



16m

9m

WET HIRE

\$160 P/HR + TOLLS + 1 HR DAILY TRAVEL

SKU	WIDTH	HEIGHT	LENGTH	GVM
T003	2.44m	3m	9.7m	35,000kg

- All steel construction with electro-hydraulic cab tilt.
- Complies with ECE-R29 cab strength standard.
- Coil spring cab suspension.
- Hendrickson HLM-2 tag axle rear suspension.
- Anti-lock Braking System.
- ADR 42 compliant sleeper.

Note: Skilled HR Truck Driver Required

ISUZU FYJ2000 8x4 HOOK TRUCK



17.5m

10.9m

WET HIRE

\$160 P/HR + TOLLS + 1 HR DAILY TRAVEL

SKU	WIDTH	HEIGHT	LENGTH	GVM
T004	2.4m	3m	10.9m	30,000kg

- Electro-hydraulic cab tilt.
- Coil spring cab suspension.
- Load sharing front suspension equaliser.
- Anti-lock braking system.
- Cross locks.
- Cruise control.

Note: Skilled HR Truck Driver Required



CERTIFICATION









ISO



СМЗ



LOCAL GOVERNMENT APPROVED CONTRACTOR

AWARDS



WINNERS OF EXCELLENCE IN SUSTAINABILITY



WINNERS OF OUTSTANDING EMPLOYER OF CHOICE



WINNERS OF EXCELLENCE IN WORKPLACE INCLUSION

LICENCES



UNRESTRICTED **DEMOLITION LICENCE**

AD211896



FRIABLE ASBESTOS REMOVAL LICENCE (Class A)

AD212731



AD212250

NON FRIABLE ASBESTOS REMOVAL LICENCE (Class B)

INSURANCE



ASBESTOS REMOVAL LIABILITY



PUBLIC & PRODUCTS LIABILITY



WORKERS COMPENSATION **INSURANCE**





PERFECT GROUP is comprised of four ISO certified companies: Perfect Contracting, Perfect Labour Hire Perfect Concrete Care and Perfect Remediation. Our clients benefit from the combined experience and capabilities of four divisions.



PERFECT CONTRACTING

Perfect Contracting is an industryleading unrestricted demolition and hazmat removal contractor, working with commercial, industrial and government clients on projects across NSW.

DEMOLITION

MAKE SAFE

WASTE REMOVAL

ASBESTOS REMOVAL

www.perfectcontracting.com.au



PERFECT LABOUR HIRE

Perfect Hire expertise lie in providing quality skilled labour, trades and operators for large infrastructure projects all across NSW

- SKILLED LABOUR HIRE
- RECRUITMENT
- TRADESMAN HIRE
- TEMP TO PERMANENT

www.perfecthire.com.au



PERFECT CONCRETE CARE

Our Concrete Care division that specialises in all forms of concrete cutting, coring, scanning, patching grinding and polishing

- **CONCRETE GRINDING**
- CONCRETE CUTTING
- CONCRETE CORING
- CONCRETE SCANNING

www.perfectconcretecare.com.au



PERFECT REMEDIATION

Our Remediation division possess dynamic capabilities, spanning from structural steel repairs to concrete crack injection, sealing waterproofing, caulking, membranes and protective coatings

- REMEDIATION
- REFURBISHMENT
- CONCRETE REMEDIATION
- STEEL REMEDIATION

www.perfectremediation.com.au



CONTACT US:

Perfect Contracting PTY Ltd ABN: 64 146 561 453

4/8 Lilian Fowler Place, MARRICKVILLE NSW 2204

PHONE: 1300 737 332

EMAIL: info@perfecthire.com.au

WEBSITE: www.perfectcontracting.com.au

FAX: (02) 8021 1784